

2401 S 24th St  
Phoenix AZ 85034  
(785) 580-7725



06/01/2018

## GENERAL CERTIFICATE OF CONFORMITY

American Vapor Group hereby certifies that all bottles and caps used in the production and distribution of our product lines are in full compliance with the standards set forth in 16 CFR 1700.15, as determined through testing in accordance with the methods described in 16 CFR 1700.20.

Product line included but not limited to:

American Vapor Group Premium Juice and iMix

Full certification reports are held on file at:

American Vapor Group

2401 S 24th St

Phoenix AZ 85034

[james@americanvaporgroup.com](mailto:james@americanvaporgroup.com) (785) 580-7725

Products were submitted for evaluation and testing by:

Bottle Barons Inc.

dba DropperBottles.com

10015 Rearwin Ln

McKinney, TX 75071

[DropperBottles@gmail.com](mailto:DropperBottles@gmail.com)

(214) 207-6148

Testing was completed by:

Tread Global, IPSD.

999 18th Street, Suite 3000 Denver, CO 80202

(303) 993-8943

[treadglobal.com](http://treadglobal.com)

Description	MFR	Factory Location	Tester	Test Dates
15mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
30mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
50mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
60mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
100mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
120mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016
240mL LDPE Dropper Bottle CRC/TE Cap	Bottle Barons Inc.	Baoan District, Shenzhen, China	Tread Global	05/19/2016

**CPSC  
Certificate of  
Compliance  
CC-SP-001  
CC-SP-002  
CC-CP-004**



**CHUBBY®  
GORILLA**  
ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE



**Scope**

Model Numbers CGUB1-10MLV3-, 15MLV3-, and 30MLV3-XXXX are covered by this Certificate of Compliance. This CoC provides information for preparation of CPSC General Certificates of Compliance (GCC).

**Bracketing**

As indicated below, additional Models are included in this certificate by using bracketing, a design of a CPSC Study such that Models on the extremes of certain design factors (e.g., size, solvent ratio) or representative Models, with certain design factors which do not impact the study (e.g., color) are tested according to the full study design. The design assumes that the acceptance of bracketed Models are represented by the Models tested.

**Statements of  
Conformity**

- A. Samples of Models CGUB1-10MLV3- and 30MLV3-NATL were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). These Models meet *Effectiveness specifications* (16 CFR 1700.15(b)) when tested by the method described in 16 CFR 1700.20.
- B. Samples of Models CGUB1-10MLV3-, 15MLV3-, and 30MLV3-NATL were evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC's industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. All Models meet the requirements for Nicotine Flow Restriction: CPSC's Test Methodology based upon the average of four measurements of Samples filled with the worst case placebo ratio of vegetable glycerin and propylene glycol (50:50 VG:PG). Therefore, solvent ratios with higher amounts of vegetable glycerin, e.g., 60:40, 70:30, 90:10 VG:PG, etc. are deemed to be compliant with the requirements by bracketing.
- C. All Model colors of the same size and diameter as Models CGUB1-10MLV3-, 15MLV3-, and 30MLV3-NATL are deemed to be compliant with requirements described in Statements of Compliance A and B by bracketing.

**Place where Test  
Records are  
maintained**

Records Department  
Chubby Gorilla, Inc.  
10425 Slusher Drive  
Santa Fe Springs, California 90670  
Phone: (844) 365-5218

**CPSC  
Certificate of  
Compliance  
CC-SP-001  
CC-SP-002  
CC-CP-004**



**CHUBBY®**

**GORILLA**

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

**Testing Labs**  
Date and place  
where testing was  
conducted (or to use  
when bracketed)

(1) 16 CFR 1700.20 testing on Models CGUB1-10MLV3-, 15MLV3-, and 30MLV3-NATL was completed on April 20, 2018 by:

Perritt Laboratories, Inc.  
145 South Main Street  
Hightstown, NJ 08520

(2) Flow restriction testing of each Models CGUB1-10MLV3- and 30MLV3-NATL was completed on June 17, 2019 by:

Life Pack Labs, LLC  
Suite 103  
2865 Scott St.  
Vista CA 92081

GCC: For Models that are certified using bracketing (for size, color, and VG:PG ratio) use the corresponding Testing Lab (above) for the Model upon which bracketing is based.

Third party  
laboratory on whose  
testing the certificate  
depends:

- (1) Perritt Laboratories, Inc.
- (2) Life Pack Labs, LLC

Certificate Approval: \_\_\_\_\_

21-June-2019

Dwain L Sparks, Regulatory Compliance Officer

Date

Company:


Chubby Gorilla, Inc.

Phone: (844) 365-5218

Company Address:

10425 Slusher Drive, Santa Fe Springs, California 90670

Version Number: Initial

<p><b>CPSC Certificate of Compliance CC-SP-007</b></p>	
<p><b>Scope</b></p>	<p>Model Numbers CGUB1-60MLV3-XXXX are covered by this Certificate of Compliance (CoC). This CoC provides information for preparation of CPSC General Certificates of Conformity (GCC).</p>
<p><b>Bracketing</b></p>	<p>As indicated below, additional Models are included in this certificate by using bracketing, a design of a CPSC Study such that Models on the extremes of certain design factors (e.g., solvent ratio) or representative Models, with certain design factors which do not impact the study (e.g., color) are tested according to the full study design. The design assumes that the acceptance of bracketed Models are represented by the Models tested.</p>
<p><b>Statements of Compliance</b></p>	<p>A. Samples of Model CGUB1-60MLV3-NATL were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). This Model meets the <i>Effectiveness specifications</i> (16 CFR 1700.15(b)) when tested by the method described in 16 CFR 1700.20.</p> <p>B. A sample of Model CGUB1-60MLV3-NATL was evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC’s industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. Model CGUB1-60MLV3-NATL meets the requirements for Nicotine Flow Restriction: CPSC’s Test Methodology based upon the average of four measurements of Samples filled with the worst case placebo ratio of vegetable glycerin and propylene glycol (70:30 VG:PG). Therefore, solvent ratios with higher amounts of vegetable glycerin, e.g., 80:20, 90:10 VG:PG are deemed to be compliant with the requirements by bracketing.</p> <p>C. All Model colors (CGUB1-60MLV3-XXXX) of the same size and diameter as Model CGUB1-60MLV3-NATL are deemed to be compliant with requirements described in Statements of Compliance A and B by bracketing.</p>
<p><b>Place where Test Records are maintained</b></p>	<p>Records Department Chubby Gorilla, Inc. 10425 Slusher Drive Santa Fe Springs, California 90670 Phone: (844) 365-5218</p>

**CPSC  
Certificate of  
Compliance  
CC-SP-007**



**CHUBBY®**

**GORILLA**

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

**Testing Labs**  
Date and place  
where testing was  
conducted (or to use  
when bracketed)

- (1) 16 CFR 1700.20 testing on Model CGUB1-60MLV3-NATL was completed on November 29, 2017 by:  
Bitner Associates, Inc.  
1001 Forest Trail  
Sugar Grove, IL 60554
- (2) Flow restriction testing on Model CGUB1-60MLV3-NATL was completed on June 17, 2019 by:  
Life Pack Labs, LLC  
Suite 103  
2865 Scott St.  
Vista CA 92081

GCC: For Models that are certified using bracketing (for color and VG:PG ratio) use the corresponding Testing Lab (above) for the Model upon which bracketing is based.

Third party  
laboratory on whose  
testing the certificate  
depends:

- (1) Bitner Associates, Inc.  
(2) Life Pack Labs, LLC

Certificate Approval: \_\_\_\_\_

21-June-2019

Dwain L Sparks, Regulatory Compliance Officer


Date

Company:

Chubby Gorilla, Inc. Phone: (844) 365-5218

Company Address:

10425 Slusher Drive, Santa Fe Springs, California 90670

<p><b>CPSC Certificate of Compliance CC-SP-013</b></p>	
<p><b>Scope</b></p>	<p>Model Numbers CGUB1-120MLV3-XXXX are covered by this Certificate of Compliance (CoC). This CoC provides information for preparation of CPSC General Certificates of Conformity (GCC).</p>
<p><b>Bracketing</b></p>	<p>As indicated below, additional Models are included in this certificate by using bracketing, a design of a CPSC Study such that Models on the extremes of certain design factors (e.g., solvent ratio) or representative Models, with certain design factors which do not impact the study (e.g., color) are tested according to the full study design. The design assumes that the acceptance of bracketed Models are represented by the Models tested.</p>
<p><b>Statements of Compliance</b></p>	<p>A. Samples of Model CGUB1-120MLV3-NATL were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). This Model meets the <i>Effectiveness specifications</i> (16 CFR 1700.15(b)) when tested by the method described in 16 CFR 1700.20.</p> <p>B. A sample of Model CGUB1-120MLV3-NATL was evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC’s industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. Model CGUB1-120MLV3-NATL meets the requirements for Nicotine Flow Restriction: CPSC’s Test Methodology based upon the average of four measurements of Samples filled with the worst case placebo ratio of vegetable glycerin and propylene glycol (70:30 VG:PG). Therefore, solvent ratios with higher amounts of vegetable glycerin, e.g., 80:20, 90:10 VG:PG are deemed to be compliant with the requirements by bracketing.</p> <p>C. All Model colors (CGUB1-120MLV3-XXXX) of the same size and diameter as Model CGUB1-120MLV3-NATL are deemed to be compliant with requirements described in Statements of Compliance A and B by bracketing.</p>
<p><b>Place where Test Records are maintained</b></p>	<p>Records Department Chubby Gorilla, Inc. 10425 Slusher Drive Santa Fe Springs, California 90670 Phone: (844) 365-5218</p>

**CPSC  
Certificate of  
Compliance  
CC-SP-013**



**CHUBBY®**

**GORILLA**

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

**Testing Labs**  
Date and place  
where testing was  
conducted (or to use  
when bracketed)

(1) 16 CFR 1700.20 testing on Model CGUB1-120MLV3-NATL was completed on December 2, 2017 by:

Bitner Associates, Inc.  
1001 Forest Trail  
Sugar Grove, IL 60554

(2) Flow restriction testing on Model CGUB1-120MLV3-NATL was completed on June 17, 2019 by:

Life Pack Labs, LLC  
Suite 103  
2865 Scott St.  
Vista CA 92081

GCC: For Models that are certified using bracketing (for color and VG:PG ratio) use the corresponding Testing Lab (above) for the Model upon which bracketing is based.

Third party  
laboratory on whose  
testing the certificate  
depends:

- (1) Bitner Associates, Inc.
- (2) Life Pack Labs, LLC

Certificate Approval: \_\_\_\_\_

21-June-2019

Dwain L Sparks, Regulatory Compliance Officer

Date

Company:

Chubby Gorilla, Inc. Phone: (844) 365-5218

Company Address:

10425 Slusher Drive, Santa Fe Springs, California 90670